

Final report of the Cold Fusion Panel of the Energy Research Advisory Board
to the
United States Department of Energy
November 26, 1989

(The complete report is available at <http://www.ncas.org/erab/index.html>)

V. CONCLUSIONS AND RECOMMENDATIONS

A. PREAMBLE

Ordinarily, new scientific discoveries are claimed to be consistent and reproducible; as a result, if the experiments are not complicated, the discovery can usually be confirmed or disproved in a few months. The claims of cold fusion, however, are unusual in that even the strongest proponents of cold fusion assert that the experiments, for unknown reasons, are not consistent and reproducible at the present time. However, even a single short but valid cold fusion period would be revolutionary. As a result, it is difficult convincingly to resolve all cold fusion claims since, for example, any good experiment that fails to find cold fusion can be discounted as merely not working for unknown reasons. Likewise the failure of a theory to account for cold fusion can be discounted on the grounds that the correct explanation and theory has not been provided. Consequently, with the many contradictory existing claims it is not possible at this time to state categorically that all the claims for cold fusion have been convincingly either proved or disproved. Nonetheless, on balance, the Panel has reached the following conclusions and recommendations.

B. CONCLUSIONS

1. Based on the examination of published reports, reprints, numerous communications to the Panel and several site visits, the Panel concludes that the experimental results of excess heat from calorimetric cells reported to date do not present convincing evidence that useful sources of energy will result from the phenomena attributed to cold fusion.
2. A major fraction of experimenters making calorimetric measurements, either with open or closed cells, using Pd cathodes and D₂O, report neither excess heat nor fusion products. Others, however, report excess heat production and either no fusion products or fusion products at a level well below that implied by reported heat production. Internal inconsistencies and lack of predictability and reproducibility remain serious concerns. In no case is the yield of fusion products commensurate with the claimed excess heat. In cases where tritium is reported, no secondary or primary nuclear particles are observed, ruling out the known D+D reaction as the source of tritium. The Panel concludes that the experiments reported to date do not present convincing evidence to associate the reported anomalous heat with a nuclear process.
3. The early claims of fusion products (neutrons) at very low levels near background, from D₂O electrolysis and D₂ gas experiments, have no apparent application to the production of useful energy. If confirmed, these results would be of scientific interest. Recent experiments, some employing more sophisticated counter arrangements and improved backgrounds, found no fusion products and placed upper limits on the fusion probability for these experiments, at levels well below the initial positive results. Based on these

many negative results and the marginal statistical significance of reported positive results, the Panel concludes that the present evidence for the discovery of a new nuclear process termed cold fusion is not persuasive.

4. Current understanding of the very extensive literature of experimental and theoretical results for hydrogen in solids gives no support for the occurrence of cold fusion in solids. Specifically, no theoretical or experimental evidence suggests the existence of D-D distances shorter than that in the molecule D_2 or the achievement of "confinement" pressure above relatively modest levels. The known behavior of deuterium in solids does not give any support for the supposition that the fusion probability is enhanced by the presence of the palladium, titanium, or other elements.
5. Nuclear fusion at room temperature, of the type discussed in this report, would be contrary to all understanding gained of nuclear reactions in the last half century; it would require the invention of an entirely new nuclear process.

C. RECOMMENDATIONS

1. The Panel recommends against any special funding for the investigation of phenomena attributed to cold fusion. Hence, we recommend against the establishment of special programs or research centers to develop cold fusion.
2. The Panel is sympathetic toward modest support for carefully focused and cooperative experiments within the present funding system.
3. The Panel recommends that the cold fusion research efforts in the area of heat production focus primarily on confirming or disproving reports of excess heat. Emphasis should be placed on calorimetry with closed systems and total gas recombination, use of alternative calorimetric methods, use of reasonably well characterized materials, exchange of materials between groups, and careful estimation of systematic and random errors. Cooperative experiments are encouraged to resolve some of the claims and counterclaims in calorimetry.
4. A shortcoming of most experiments reporting excess heat is that they are not accompanied in the same cell by simultaneous monitoring for the production of fusion products. If the excess heat is to be attributed to fusion, such a claim should be supported by measurements of fusion products at commensurate levels.
5. Investigations designed to check the reported observations of excess tritium in electrolytic cells are desirable.
6. Experiments reporting fusion products (e.g., neutrons) at a very low level, if confirmed, are of scientific interest but have no apparent current application to the production of useful energy. In view of the difficulty of these experiments, collaborative efforts are encouraged to maximize the detection efficiencies and to minimize the background.

ERAB review of Low Energy Nuclear Reactions

December 1, 2004

Report of the Review of Low Energy Nuclear Reactions

Introduction

The Department of Energy's (DOE) Office of Science (SC) was approached in late 2003 by a group of scientists who requested that the Department revisit the question of scientific evidence for low energy nuclear reactions. In 1987 Pons and Fleischman first reported the production of "excess" heat in a Pd electrochemical cell, and postulated that this was due to D-D fusion (D=deuterium), sometimes referred to as "cold fusion." The work was reviewed in 1989 by the Energy Research Advisory Board (ERAB) of the DOE. ERAB did not recommend the establishment of special programs within DOE devoted to the science of low energy fusion, but supported funding of peer-reviewed experiments for further investigations. Since 1989, research programs in cold fusion have been supported by various universities, private industry, and government agencies in several countries.

Review and Process

In response to the above request, the Office of Science agreed to a peer review of the experimental data and supporting theory since the 1989 ERAB review. The scientists who made this request were asked to generate a review document that identified the most significant experimental observations and publications, and those areas where additional work would appear to be warranted. This document, entitled "New Physical Effects in Metal Deuterides," was prepared by Professor Peter Hagelstein of MIT, Dr. Michael McKubre of SRI International, Professor David Nagel of George Washington University, Dr. Talbot Chubb of Research Systems Inc., and Mr. Randall Hekman of Hekman Industries (hereafter referred to as the proposers). Together with supplemental material, said document was submitted to DOE in July 2004 (Attachment 1).

The Basic Energy Sciences and Nuclear Physics Offices in the DOE Office of Science conducted a peer review of the submitted material in a manner typical for a DOE sponsored university or laboratory research program. The review had two components. First, the review document received by DOE was sent out for peer review by mail. Nine scientists with appropriate scientific backgrounds in experimental and theoretical nuclear physics, material science, and electrochemistry were identified by DOE, and were given approximately one month to review the report and supplementary material. The second part of the review consisted of a one-day review conducted on August 23, 2004. The reviewers consisted of nine additional scientists chosen by DOE for their expertise in relevant fields. Anonymous comments from the mail peer review referred to above were provided to members of the reviewers prior to the presentations. Oral presentations were made to the reviewers by research scientists, chosen by the authors of the review document. Six research groups gave approximately one hour presentations on the work being performed in their laboratories. Individual comments from reviewers were requested following the presentations.

In total, 18 individual reviewer comments were received by DOE.

Review Criteria

Reviewers were asked to respond to the following charge in their evaluation of the written and/or oral material: (1) To examine and evaluate the experimental and theoretical evidence for the occurrences of nuclear reactions in condensed matter at low energies (less than a few electron volts). (2) To determine whether the evidence is sufficiently conclusive to demonstrate that such nuclear reactions occur. (3) To determine whether there is a scientific case for continued efforts in these studies and, if so, to identify the most promising areas to be pursued. Copies of the charge letter and accompanying instructions regarding conflict of interest and confidentiality are attached (Attachment 2).

Review Document and Presentations

The review document submitted (Attachment 1) focused on “a subset of research from two areas” in the field of low energy nuclear reactions: (1) “selected issues associated with excess heat production in deuterated metals” and (2) “some aspects of nuclear emissions from deuterated metals.” According to the review document, D-D fusion has been demonstrated to occur spontaneously when D is introduced into Pd metal at very high concentrations (D/Pd ~ 0.95). According to the review document, these demonstrations include purported production of anomalous energy, helium, tritium, and a variety of elements not initially present in the experimental container.

The material presented in the review document and oral presentations focused on electrochemical reactions in the Pd/D₂O system, evidence for excess heat and nuclear reaction products, and the current theoretical framework that has been used to describe the observations. Data were also presented on the use of ion beams and glow discharge systems used to study the Pd,Ti/D and Pd,Ti/H systems. The review only addressed “light element” experiments, namely H or D fusion.

The proposers state that the results from the research provide evidence for effects in three categories, as summarized in the review document’s Conclusions Chapter:

1. “The existence of a physical effect that produces heat in metal deuterides. The heat is measured in quantities greatly exceeding all known chemical processes and the results are many times in excess of determined errors using several kinds of apparatus. In addition, the observations have been reproduced, can be reproduced at will when the proper conditions are reproduced, and show the same patterns of behavior. Further, many of the reasons for failure to reproduce the heat effect have been discovered.”
2. “The production of ⁴He as an ash associated with this excess heat, in amounts commensurate with a reaction mechanism consistent with $D+D \rightarrow {}^4\text{He} + 23.8 \text{ MeV (heat)}$ ”.
3. “A physical effect that results in the emission of: (a) energetic particles consistent with $d(d,n){}^3\text{He}$ and $d(d,p)t$ fusions reactions, and (b) energetic alphas and protons with energies in excess of 10 MeV, and other emissions not consistent with deuteron-deuteron reactions.”

The material presented can be found at <http://www.sc.doe.gov>. Following the oral presentations,

reviewers requested additional documentation from the presenters. This supplemental material can also be found at the indicated link.

Detailed Summary of Reviewer Response to Charge Elements

Since the 1987 report by Pons and Fleishman, scientists have continued to investigate the conditions responsible for the anomalous heat production in an attempt to establish reproducible conditions for the generation of excess energy, quantify the amount of energy being released, and confirm the hypothesis that the energy is a consequence of nuclear fusion by detecting the expected nuclear reaction products.

Below is a summary of the reviewer responses to the three charge elements, written by DOE program managers and intended to give an overall sense of the reviewers' comments. The entire charge letter is enclosed as Attachment 2. The redacted reviewer comments (only their names and institutions were removed) have been sent to the proposers.

Charge Element 1: Examine and evaluate the experimental evidence for the occurrences of nuclear reactions in condensed matter at low energies (less than a few electron volts).

The experimental evidence presented by the review document and oral presentations for the occurrences of nuclear reactions consisted of two general types: excess power production from an electrolytic cell containing metal electrodes (palladium is the typical metal) with a deuterated electrolyte; and measurement of expected fusion products such as ${}^4\text{He}$ in electrolytic cells, or any of the other expected products observed in hot fusion, proton + triton (the nucleus of tritium, consisting of two neutrons and one proton) or neutron + ${}^3\text{He}$, in a variety of experiments.

The excess power observed in some experiments is reported to be beyond that attributable to ordinary chemical or solid state sources; this excess power is attributed by proponents to nuclear fusion reactions. Evaluations by the reviewers ranged from: 1) evidence for excess power is compelling, to 2) there is no convincing evidence that excess power is produced when integrated over the life of an experiment. The reviewers were split approximately evenly on this topic. Those reviewers who accepted the production of excess power typically suggest that the effect seen often, and under some understood conditions, is compelling. The reviewers who did not find the production of excess power convincing cite a number of issues including: excess power in the short term is not the same as net energy production over the entire of time of an experiment; all possible chemical and solid state causes of excess heat have not been investigated and eliminated as an explanation; and production of power over a period of time is a few percent of the external power applied and hence calibration and systematic effects could account for the purported net effect. Most reviewers, including those who accepted the evidence and those who did not, stated that the effects are not repeatable, the magnitude of the effect has not increased in over a decade of work, and that many of the reported experiments were not well documented.

The hypothesis that excess energy production in electrolytic cells is due to low energy nuclear reactions was tested in some experiments by looking for D + D fusion reaction products, in particular ${}^4\text{He}$, normally produced in about 1 in 10^7 in hot D + D fusion reactions. Results reported in the review document purported to show that ${}^4\text{He}$ was detected in five out of sixteen

cases where electrolytic cells were reported to be producing excess heat. The detected ${}^4\text{He}$ was typically very close to, but reportedly above background levels. This evidence was taken as convincing or somewhat convincing by some reviewers; for others the lack of consistency was an indication that the overall hypothesis was not justified. Contamination of apparatus or samples by air containing ${}^4\text{He}$ was cited as one possible cause for false positive results in some measurements.

Beam experiments not involving electrolytic cells were reported in the review document and oral presentation, purport to provide evidence for low energy nuclear reactions. These experiments involved low energy deuterium beams impinging on deuterium loaded metal foils such as titanium. The studies were designed to investigate screening effects in materials that would be relevant to fields such as nuclear astrophysics. Those reviewers who commented on these studies generally viewed them favorably, but to many reviewers these studies were somewhat peripheral to the main thrust of this review.

A similar line of investigation involved counting deuterium loaded foils to observe the products for the standard fusion reaction channels, proton + triton or neutron + ${}^3\text{He}$, with particle detectors and coincidence techniques. Indications of purported detection of proton-triton coincidences at a low level were presented. Even skeptical reviewers cited this work as one line of investigation that could be pursued to a clear conclusion. However, the results were not convincing to some reviewers in regard to the occurrence of low energy nuclear reactions. Experts noted many deficiencies in the techniques, methods, and interpretation of the data presented. The present state-of-the-art for tracking coincidences and the methodology for low data rate experiments is far advanced beyond methods used in the experiment contained in the review document and oral presentations.

Two-thirds of the reviewers commenting on Charge Element 1 did not feel the evidence was conclusive for low energy nuclear reactions, one found the evidence convincing, and the remainder indicated they were somewhat convinced. Many reviewers noted that poor experiment design, documentation, background control and other similar issues hampered the understanding and interpretation of the results presented.

Charge Element 2: Determine whether the evidence is sufficiently conclusive to demonstrate that such nuclear reactions occur.

Reviewers expert in nuclear physics noted that the cold fusion mechanism put forward by proponents is not in accord with presently accepted knowledge of $\text{D} + \text{D}$ fusion. Specifically, $\text{D} + \text{D}$ fusion is accompanied by the production of protons, neutrons, tritons, ${}^3\text{He}$, ${}^4\text{He}$ and high energy gamma rays, all in well known proportions. The fusion channel resulting in ${}^4\text{He}$ and high energy gamma rays occurs approximately only once for every 10^7 $\text{D} + \text{D}$ fusion reactions. These characteristic proportions for the production of the fusion products are found for every energy of the incident deuteron measured so far, down to the lowest that has been measured.

The review document and oral presentations made the argument that the branching ratios are different at low energies and that in cold fusion, ${}^4\text{He}$ fusion channel is predominant. According to the review document, no high energy gamma rays appear to accompany the ${}^4\text{He}$, as is

observed in D-D fusion reactions. Instead, the approximately 24 MeV in energy resulting from D-D fusion was purported to appear as heat in the material lattice. To explain these unusual characteristics, the reviewers were presented with a theoretical framework that purported to describe how collective energy from the material lattice couples to a deuteron pair to induce fusion, how the only fusion reaction channel that occurs would be the production of ${}^4\text{He}$, and how all the energy is coupled back into the material in the form of heat instead of high energy gamma-rays. The reviewers raised serious concerns regarding the assumptions postulated in the proposed theoretical model for the explanation for ${}^4\text{He}$ production.

The preponderance of the reviewers' evaluations indicated that Charge Element 2, the occurrence of low energy nuclear reactions, is not conclusively demonstrated by the evidence presented. One reviewer believed that the occurrence was demonstrated, and several reviewers did not address the question.

Charge Element 3: Determine whether there is a scientific case for continued efforts in these studies and, if so, to identify the most promising areas to be pursued.

The nearly unanimous opinion of the reviewers was that funding agencies should entertain individual, well-designed proposals for experiments that address specific scientific issues relevant to the question of whether or not there is anomalous energy production in Pd/D systems, or whether or not D-D fusion reactions occur at energies on the order of a few eV. These proposals should meet accepted scientific standards, and undergo the rigors of peer review. No reviewer recommended a focused federally funded program for low energy nuclear reactions.

Reviewers identified two areas where additional research could address specific issues. One is the investigation of the properties of deuterated metals including possible effects of alloying and dislocations. These studies should take advantage of the modern tools for material characterization. A second area of investigation is the use of state-of-the-art apparatus and techniques to search for fusion events in thin deuterated foils. Several reviewers specifically stated that more experiments similar in nature to those that have been carried out for the past fifteen years are unlikely to advance knowledge in this area.

Conclusion

While significant progress has been made in the sophistication of calorimeters since the review of this subject in 1989, the conclusions reached by the reviewers today are similar to those found in the 1989 review.

The current reviewers identified a number of basic science research areas that could be helpful in resolving some of the controversies in the field, two of which were: 1) material science aspects of deuterated metals using modern characterization techniques, and 2) the study of particles reportedly emitted from deuterated foils using state-of-the-art apparatus and methods. The reviewers believed that this field would benefit from the peer-review processes associated with proposal submission to agencies and paper submission to archival journals.